Index to Volume 29

Authors and Titles

Ashton, D. H. *See* Gleadow, R. M. 705

Bell, D. T.—
Spatial and size-class patterns in a central Australian spinifex grassland 321
See also Goble-Garratt, E. M. 329
Lewis, J. 665
Bint, A. N.—
An early Pliocene pollen assemblage from Lake Tay, south-western Australia, and its phytogeographic implications 277
Birch, W. R. *See* Duke, N. C. 135
Boughton, V. H.—
Extrafloral nectaries of some Australian phyllodineous acacias 653
Bradstock, R. A., and Myerscough, P. J.—
Fire effects on seed release and the emergence and establishment of seedlings in *Banksia ericifolia* L.f. 521
Brooker, M. I. H., and Lassak, E. V.—
The volatile leaf oils of *Eucalyptus ovata* Labill. and *E. brookerana* A. M. Gray (Myrtaceae) 605
Brooker, M. I. H. *See* Ladiges, P. Y. 593
Brown, M. J.—
An experimental taxonomic study of *Plantago tasmanica* Hook. f. and *P. daltonii* Dcne. 441
Bumbieris, M.—
Association of *Phytophthora cinnamomi* with *Pinus radiata* in South Australia 11
Bunt, J. S. *See* Duke, N. C. 547
Williams, W. T. 555
Burrell, J. P.—
Invasion of coastal heaths of Victoria by *Leptospermum laevigatum* (J. Gaertn.) F. Muell. 747
Buttrose, M. S., Grant, W. J. R., and Sedgley, M.—
Floral development in *Acacia pycnantha* Benth. in Hook. 385

Clarke, S. M., and Womersley, H. B. S.—
Cross-fertilization and hybrid development of forms of the brown alga *Hormosira banksii* (Turner) Decaisne 497
Coates, D. J.—
Chromosome, morphometric and breeding system studies in the *Stylidium caricifolium* species complex (Stylidiaceae) 397
Connor, D. J. *See* Tunstall, B. R. 311
Considine, J. A.—
Correlation of resistance to physical stress with fruit structure in the grape *Vitis vinifera* L. 475
Stereological analysis of the dermal system of fruit of the grape *Vitis vinifera* L. 463

Dalling, M. J. *See* Langkamp, P. J. 1
Dell, B., and Wallace, I. M.—
Surface root system of *Eucalyptus marginata* Sm.: anatomy of non-mycorrhizal roots 565
Dell, B. *See* Shea, S. R. 49
Drake, D. W.—
Reproductive success of two *Eucalyptus* hybrid populations. I. Generalized seed output model and comparison of fruit parameters 25
II. Comparison of predispersal seed parameters 37
Drake, W. E.—
Ant–seed interaction in dry sclerophyll forest on North Stradbroke Island, Queensland 293
Duke, N. C., Birch, W. R., and Williams, W. T.—
Growth rings and rainfall correlations in a mangrove tree of the genus *Diospyros* (Ebenaceae) 135
Duke, N. C., Bunt, J. S., and Williams, W. T.—
Mangrove litter fall in north-eastern Australia. I. Annual totals by component in selected species 547
Duke, N. C. *See* Williams, W. T. 555

Elix, J. A.—
Further new species of *Parmelia* (lichens) from Australia 17
New species of *Parmelia* subgen. *Xanthoparmelia* (lichens) from Australia and New Zealand 349
Ellis, D. H., and Keane, P.J.—
Thermophilic fungi isolated from some Australian soils 689
Escobar, L. *See* McMillan, C. 247

Farnell, G. K. *See* Langkamp, P. J. 1
Friedel, M. H.—
Studies of central Australian semidesert rangelands. I. Range condition and the biomass dynamics of the herbage layer and litter 219
II. Range condition and the nutrient dynamics of the herbage layer, litter and soil 233

Gadek, P. A., and Martin, H. A.—
Pollen morphology in the subtribe Metrosiderinae of the Leptospermoideae (Myrtaceae) and its taxonomic significance 159
Gillen, K. J. *See* Whitfield, F. B. 195
Gleadow, R. M., and Ashton, D. H.—
Invasion by *Pittosporum undulatum* of the forests of central Victoria. I. Invasion patterns and plant morphology 705
Goble-Garratt, E. M., Bell, D. T., and Loneragan, W. A.—
Floristic and leaf structure patterns along a shallow elevational gradient 329
Grant, W. J. R. *See* Buttrose, M. S. 385
Gray, A. M. *See* Ladiges, P. Y. 593

Harwood, C. E.—
Frost resistance of subalpine *Eucalyptus* species. II. Experiments using the resistance index method of damage assessment 209
Hawksworth, D. L., and Yip, H. Y.—
Coniochaeta angustispora sp. nov. from roots in Australia, with a key to the species known in culture 377
Hingston, F. J. *See* Malajczuk, N. 453
Hocking, P. J.—
Accumulation of mineral nutrients by developing fruits of prickly plume grevillea (*Grevillea annulifera* F. Muell.) 507
Hopper, S. D., and Moran, G. F.—
Bird pollination and the mating system of *Eucalyptus stoatei* 625

Keane, P. J. *See* Ellis, D. H. 689
Kennedy, M. J., and Prakash, N.—
A morphological and embryological study of *Callicoma serratifolia* Andr. (Cunoniaceae) 721
Kenrick, J., and Knox, R. B.—
Structure and histochemistry of the stigma and style of some Australian species of *Acacia* 733
Knox, R. B. *See* Kenrick, J. 733
Kumari, K. A. *See* Rao, M. K. 617

Ladiges, P. Y.—
Morphological forms and polyploidy in *Triglochin procera* agg. in Victoria 639
See also Robb, L. 639
Ladiges, P. Y., Gray, A. M., and Brooker, M. I. H.—
Pattern of geographic variation, based on seedling morphology, in *Eucalyptus ovata* Labill. and *E. brookerana* A. M. Gray and comparisons with some other *Eucalyptus* species 593

Lamont, B.—
Morphometrics of the aerial roots of *Kingia australis* (Liliales) 81
Langkamp, P. J., Farnell, G. K., and Dalling, M. J.—
Acetylene reduction rates by selected leguminous and non-leguminous plants of Groote Eylandt, Northern Territory 1
Lassak, E. V. *See* Brooker, M. I. H. 605
Lawrie, A. C.—
Nitrogen fixation by native Australian legumes 143
Lewis, J., and Bell, D. T.—
Reproductive isolation of co-occurring *Banksia* species at the Yule Brook Botany Reserve, Western Australia 665
Lodge, G. M.—
Establishment of warm- and cool-season native perennial grasses on the north-west slopes of New South Wales.
II. Establishment and seedling survival in the field 121
Lodge, G. M., and Whalley, R. D. B.—
Establishment of warm- and cool-season native perennial grasses on the north-west slopes of New South Wales. I. Dormancy and germination 111
Loneragan, W. A. *See* Goble-Garratt, E. M. 329
Monk, D. 579

McCown, R. L. *See* Shipton, W. A. 59
McMillan, C., Williams, S. C., Escobar, L., and Zapata, O.—
Isozymes, secondary compounds and experimental cultures of Australian seagrasses in *Halophila*, *Halodule*, *Zostera*, *Amphibolis* and *Posidonia* 247
Malajczuk, N., and Hingston, F. J.—
Ectomycorrhizae associated with jarrah 453
Marks, G. C., and Smith, I. W.—
Factors influencing suppression of root rot of *Eucalyptus sieberi* and *E. obliqua* caused by *Phytophthora cinnamomi* 483
Martin, H. A. *See* Gadek, P. A. 159
Monk, D., Pate, J. S., and Loneragan, W. A.—
Biology of *Acacia pulchella* R.Br. with special reference to symbiotic nitrogen fixation 579
Moran, G. F. *See* Hopper, S. D. 625
Moreshet, S.—
Physiological activity, in a semiarid environment, of *Eucalyptus camaldulensis* Dehn. from two provenances 97
Myerscough, P. J. *See* Bradstock, R. A. 521

Orr, D. M.—
Changes in the quantitative floristics in some *Astrebla* spp. (Mitchell grass) communities in south-western Queensland in relation to trends in seasonal rainfall 533

Pate, J. S. *See* Monk, D. 579
Paton, D. M.—
Eucalyptus physiology. III. Frost resistance 675
Prakash, N. *See* Kennedy, M. J. 721
Pyke, G. H.—
Effects of inflorescence height and number of flowers per inflorescence on fruit set in waratahs (*Telopea speciosissima*) 419

Rao, M. K., and Kumari, K. A.—
Cell development in the young seed of two inbred lines of pearl millet, *Pennisetum americanum* 617

Sedgley, M.—
Early development of the *Macadamia* ovary 185
See also Buttrose, M. S. 385
Shaw, K. J. *See* Whitfield, F. B. 195
Shea, S. R., and Dell, B.—
Structure of the surface root system of *Eucalyptus marginata* Sm. and its infection by *Phytophthora cinnamomi* Rands 49
Shea, S. R. *See* Whitfield, F. B. 195
Shipton, W. A., McCown, R. L., and Williams, W. T.—
Influence of weather on mouldiness and the mycoflora of legume pasture during the dry season in tropical Australia 59
Smith, I. W. *See* Marks, G. C. 483
Stace, H. M.—
Biosystematics of the *Brachyscome aculeata* (Labill.) Less. sensu G. L. Davis species complex (Compositae: Astereae) 425

Tunstall, B. R., and Connor, D. J.—
A hydrological study of a subtropical semiarid forest of *Acacia harpophylla* F. Muell. ex Benth. (brigalow) 311

Wallace, I. M. *See* Dell, B. 565
Weste, G.—
Changes in the vegetation of sclerophyll shrubby woodland associated with invasion by *Phytophthora cinnamomi* 261
Whalley, R. D. B. *See* Lodge, G. M. 111
Whitfield, F. B., Shea, S. R., Gillen, K. J., and Shaw, K. J.—
Volatile components from the roots of *Acacia pulchella* R.Br. and their effect on *Phytophthora cinnamomi* Rands 195
Williams, S. C. *See* McMillan, C. 247
Williams, W. T., Bunt, J. S., and Duke, N. C.—
Mangrove litter fall in north-eastern Australia. II. Periodicity 555
Williams, W. T. *See* Duke, N. C. 135, 547
Shipton, W. A. 59
Womersley, H. B. S. *See* Clarke, S. M. 497

Yadav, B. S.—
Behaviour of *Cochliobolus sativus* during its infection of barley and wheat leaves 71
Yip, H. Y. *See* Hawksworth, D. L. 377

Zapata, O. *See* McMillan, C. 247

Printed by CSIRO, Melbourne